ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 5			
										Orman vo			
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER DAAE07-98-G-T001 0025					/CALL NO.	(YYYYMMMDD)	A REQUISITION/PURCYYYYMMMDD) 2004JUL15 SEE SCHEDULE			QUEST NO. 5. PRIORITY DOA4			
6. ISSUED BY CODE W56HZV					7. ADMINIST	ERED BY (If other t	han 6)			1501A	8. DELIVERY FOB		
TACOM WARREN AMSTA-AQ-AHPC THOMAS GODDEN (586)574-7224 WARREN, MICHIGAN 48397-5000 EMAIL: GODDENT@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL						EMM1 889	DCMA INDIANAPOLIS EMMETT J. BEAN CENTER 8899 E. 56TH ST. INDIANAPOLIS, IN 46249-5701					DESTINATION X OTHER (See Schedule if other)	
9. CONTR	ACTOR			CODE	73342	FACIL	<u> </u>				57	11. X IF BUSINESS IS	
	•						• (YYYYMMMDD)					SMALL	
ALLISON TRANSMISSION DIVISION GENERAL MOTO 4700 WEST 10TH STREET INDIANAPOLIS, IN. 46222-3277 AND ADDRESS				JENERAL MO	DIORS CORP.		SCHEDULE			SMALL			
					12. DISCOUNT TERMS					DISADVANTAGED WOMAN-OWNED			
	•	orrea	INESS: Large Bus	rinoga 1	oxforming	~ in H C	13. MAIL INVOICES TO THE ADDRESS IN BLOCK						
14. SHIP 7		3051	INESS. Large Bus	CODE	Periorming	-	Γ WILL BE MADE I	See BY	E SC1032	MARK ALL			
SEE SCHEDULE							DFAS-COLUMBUS CENTER DFAS-CO/MINUTEMAN DIVISION P.O. BOX 182266 COLUMBUS OH 43218-2266					PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE	DELIVERY/ CALL	Х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER G	GOVERNMENT AG	ENCY OR IN ACCORD	ANCE W	E NUMBERED CONTRACT.				
OF ORDER	PURCHASE		Reference your Oral Written Quotation, Dated furnish the following on terms specified herein.										
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.	
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGN (YYYYMM) If this box is marked, supplier must sign Acceptance and return the following number of copies:													
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE													
18. ITEM	18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE						20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT		
SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders													
	accepted by th			4. UNITED	STATES OF A						25. TOTAL	\$17,941.98	
If differen	ıantity ordered, t, enter actual q rdered and enci	uanti	ity accepted below	SY:		NNIS /SIGNI TACOM.ARMY	ED/ .MIL (586)574			ORDERING OFFICER	26. DIFFERENCE	S	
			N 20 HAS BEEN	ACCEPTEI	AND CONEC	OPMS TO CONT	DACT EVCEDT AS	NOTEI					
INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONT B. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							c. DATE (YYYYMMMD)		OF AUTHORIZE	D GOVERNMENT			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						VE	28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.		CHER NO.	30. INITIALS		
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						PARTIA FINAL	L	32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR			
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT					84. CHECK NUMBER		
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER (YYYYMMMDD)						OFFICER	∃	PARTIAL			35. BILL OF L	BILL OF LADING NO.	
37. RECE	7. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD)					40. TOTAL CO	N-	41. S/R ACCOUNT NUMBER 42. S/R VO			IER NO.		

CONTINUATION SHEET

Reference No. of Document Being Continued PIIN/SIIN DAAE07-98-G-T001/0025 MOD/AMD

Page 2 of 5

Name of Offeror or Contractor: ALLISON TRANSMISSION DIVISION GENERAL MOTORS CORP.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2520-01-251-5490 FSCM: 73342 PART NR: 23047907 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	14	EA	\$1,281.57000	\$17,941.98
	NOUN: PUMP ASSEMBLY, SCAVE PRON: EH492592EH PRON AMD: 01 ACRN: AA AMS CD: 060011				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENT CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV33301566 W31G1Z J 1 DEL REL CD QUANTITY DEL DATE 001 14 12-NOV-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199				
	CONTRACT/DELIVERY ORDER NUMBER DAAE07-98-G-T001/0025				

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-98-G-T001/0025

MOD/AMD

Page 3 **of** 5

Name of Offeror or Contractor: Allison transmission division general motors corp.

PACKAGING AND MARKING

Regulatory Cite Title Date

1 52.211-4516 PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS) JUN/2004
(TACOM)

- (a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:
 - (1) Preservation Method Code: 42 (Table j.i. and j.ia.)
 - (2) Cleaning Procedure Code: 1 (Table j.ii)
 - (3) Preservative Material Code: 10 (Table j.iii)
 - (4) Wrapping Material Code: GH (Table j.iv)
 - (5) Cushioning and Dunnage Code: NS (Table j.v)
 - (6) Thickness of Cushioning or Dunnage Code: X (Table j.vi)
 - (7) Unit Container Code: ED (Table j.vii)
 - (8) Intermediate Container Code: 00 (Table j.vii)
 - (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
 - (10) Packing Code: A (Table j.IX and J.IXa)
 - (11) Special Marking Code: 00 (Table j.x)
- (c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (d) Marking:
- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec. 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-98-G-T001/0025

MOD/AMD

Page 4 of 5

Name of Offeror or Contractor: Allison transmission division general motors corp.

- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at http://www.easysoftcorp.com/products/Software/MSL.html. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of nonmanufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.
 - (g) Hazardous Materials(as applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG) Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - (h) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]

CONTINUATION SHEET				Reference No. of Document Being Continued						Page 5 of 5
	CONTIN	UATION	SHEET	PIIN/SIIN DAAE07-98-G-T001/0025			MOD/AMD			
Name of Offeror or Contractor: Allison transmission division general motors corp.										
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	EH492592EH	AA 2	97 X4930A	C9D 6D	26KB	S20113		W56HZV	\$	17,941.98
	060011									
								TOTAL	\$	17,941.98
SERVICE							ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STATIO	ON		AMOUNT
Army		AA	97 X4930A	C9D 6D	26KB	S20113	W56HZ	V	\$ _	17,941.98
								TOTAL	\$	17,941.98